

Anton Osika

Public profile snapshot

<https://www.linkedin.com/in/antonosika>

Retrieved 2026-09-13T21:59:49.870Z · 2 public posts · Profile: source not recorded · Posts: FastFetchz

Profile presentation grade

100/100 · Grade A+ · 25% coverage · Partial grade. Rubric profile-2026.09.1.

A transparent presentation checklist, not a LinkedIn ranking, talent assessment or prediction of reach.
Grade thresholds: A+ 90, A 80, B 65, C 50, D 35, F below 35.

Score = earned points ÷ assessed points × 100. Coverage is assessed weight out of 100. Unavailable and masked data are excluded. Scores with different coverage are not directly comparable.

Truncated text earns only checks already demonstrated in the visible excerpt; the unseen remainder is not marked wrong. Text rules measure structure, not factual accuracy, writing quality or every language equally.

Photo and banner grades cover image availability, decoding and shape only. Face framing, lighting, expression, visual style and authenticity require a human review. No appearance, identity or personality judgments are made.

An education entry is evidence of profile context, not verified credentials. School prestige, age, degree level and background do not affect the score.

Profile picture: A+ · 100/100 · 5/15 points assessable

Profile image supplied: 5/5 points

The source supplied an image URL.

Action: Choose a current, recognizable photo. Preview the circular crop at comment size and leave space around your head.

Image decodes and fits its display shape: Unknown

The source image could not be inspected. This is not evidence that the profile has no image.

Action: Use a square original, check sharpness at full size, and preview the circular crop. A small provider thumbnail does not prove your original upload is low resolution.

Cover & visual identity: Not assessed · —/100 · 0/10 points assessable

Cover image supplied: Unknown

No usable image URL was returned; absence on LinkedIn is unconfirmed.

Action: Use a simple cover that says who you help and what you do. Keep important text clear of the profile-

photo overlay.

Image decodes and fits its display shape: Unknown

The source image could not be inspected. This is not evidence that the profile has no image.

Action: Preview your cover on desktop and mobile. Start with a 1584 × 396 canvas and keep the message readable without tiny text.

Name & identity: A+ · 100/100 · 10/10 points assessable

Readable display name: 5/5 points

Source text: "Anton Osika"

Action: Use the name people know you by, consistently across your profile and other professional channels. Single names and all writing systems are supported.

Name field stays focused on identity: 5/5 points

Source text: "Anton Osika"

Action: Move URLs, contact details and sales calls to action into About or Contact info. Keep your actual name unchanged.

Headline & positioning: Not assessed · —/100 · 0/15 points assessable

Headline supplied: Unknown

Not returned in readable form by the source.

Action: State your role or specialty in the headline, using terms your intended reader understands.

Enough context to explain your work: Unknown

Not returned in readable form by the source.

Action: Use this structure: [role or specialty] · Helping [audience] achieve [outcome]. Replace every bracket with a truthful detail.

Headline is concise enough to scan: Unknown

Not returned in readable form by the source.

Action: Keep the headline focused on one main promise. Move your longer story into About.

About & descriptions: Not assessed · —/100 · 0/20 points assessable

Readable introduction: Unknown

Not returned in readable form by the source.

Action: Lead with who you help, the problem you solve and the work you do today.

An introduction with supporting detail: Unknown

Not returned in readable form by the source.

Action: Add a specific example of your work, your approach, and the kinds of opportunities you welcome. Length is a structure check, not a quality guarantee.

Easy-to-scan paragraph structure: Unknown

Not returned in readable form by the source.

Action: Break About into short paragraphs: current focus, relevant proof, then how to connect.

A clear next step: Unknown

Not returned in readable form by the source.

Action: End with one relevant next step, such as who should message you and what to include. This automated check recognizes English phrases and links; review other languages manually.

Experience & proof: A+ · 100/100 · 5/15 points assessable

Professional experience identified: 5/5 points

Readable entries: Lovable, Founders Pledge. Other entries may be hidden.

Action: List relevant roles with an accurate title and organization. Connect them to the work you want to do next.

Experience includes useful descriptions: Unknown

Not returned in readable form by the source.

Action: For each relevant role, explain your responsibility, a concrete contribution, and an outcome you can substantiate. Do not invent numbers. Masked source descriptions need manual review.

Education & learning: Not assessed · —/100 · 0/10 points assessable

Education or learning entry identified: Unknown

No readable entries were returned. We cannot conclude this section is empty.

Action: Add relevant education or structured learning you want to share. Name the institution or course accurately; formal degrees are not required for a strong professional story.

Learning context is described: Unknown

Not returned in readable form by the source.

Action: Describe your subject, course or qualification and one relevant project or skill. Use the full qualification name where helpful. We assess clarity, never institution prestige or degree level.

Location & context: A+ · 100/100 · 5/5 points assessable

Readable location: 5/5 points

Source text: "Stockholm, Stockholm County, Sweden"

Action: Use an accurate city or region if you want it visible. Do not add a home address. Omitted provider data is not penalized.

Executive summary

Anton Osika's audit covers 2 public posts, including 2 with both reaction and comment counts. The measured median is 1,883.5 interactions. AI & building products is the most represented detected theme (2/2; themes can overlap). Start with a concrete follow-up to an existing subject, then test the opening and reply invitation across a consistent four-week sample.

Measured performance

Followers: 197,571. Posts: 2. Fully measured: 2.

Engagement by current followers: Unavailable. Average reactions: 1,783.5. Median reactions: 1,783.5.

Average comments: 100. Comments per 100 reactions: 5.6.

Observed cadence: Unavailable posts/week. Sample window: 63.1 days.

Strengths, watch points and context

CONCERN: Build a fuller performance baseline

2 of 2 posts have both public counts. Their median is 1,883.5 interactions. Add at least three measured posts; six dated posts enable an early/recent comparison.

Evidence: post 1, post 2. Full text and links are in Source posts.

STRENGTH: A concrete post to learn from

"Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong." has 2,680 visible interactions. Its topic and opening are candidates for a follow-up experiment; this does not identify why it performed.

Evidence: post 2. Full text and links are in Source posts.

CONTEXT: Conversation is observable; quality is not

0 of 2 posts contain a question. Measured posts generated 5.6 comments per 100 reactions. Counts can include the author's replies and do not measure lead quality or sentiment.

Performance and publishing rhythm

At least six measured posts across two publication dates are needed for an early/recent comparison.

Typical measured interactions: 1,883.5. Highest: 2,680.

Median gap 63.1 days; longest 63.1 days across 1 intervals.

2026-04-08T15:01:08.183Z: 2,543 reactions + 137 comments = 2,680 interactions.

2026-06-10T17:01:30.695Z: 1,024 reactions + 63 comments = 1,087 interactions.

UTC publishing days — descriptive, not recommended times:

Wed UTC: 2 posts / 2 measured; median 1,883.5, average 1,883.5 interactions.

Evidence: post 2, post 1. Full text and links are in Source posts.

Older posts have had more time to accumulate interactions. Different publication-day groups have different sample sizes and topics.

Content pillars and format performance

Overlapping English keyword themes, not semantic certainty:

AI & building products: 2 posts / 2 measured; median 1,883.5, average 1,883.5 interactions.

Evidence: post 1, post 2. Full text and links are in Source posts.

Business & entrepreneurship: 2 posts / 2 measured; median 1,883.5, average 1,883.5 interactions.

Evidence: post 1, post 2. Full text and links are in Source posts.

Careers & leadership: 1 posts / 1 measured; median 1,087, average 1,087 interactions.

Evidence: post 1. Full text and links are in Source posts.

Source-reported formats; unknown is not text-only:

image: 2 posts / 2 measured; median 1,883.5, average 1,883.5 interactions.

Evidence: post 1, post 2. Full text and links are in Source posts.

Small or unequal groups cannot establish a winning format.

Hooks and writing structure

I'm thrilled to welcome Lauren to Lovable to lead sales globally.

Hook: Statement; 97 words; 5 paragraphs; final CTA not detected; question not detected.

Hashtags: None detected. Mentions: None detected.

Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.

Hook: Statement; 182 words; 9 paragraphs; final CTA not detected; question not detected.

Hashtags: None detected. Mentions: None detected.

Hook uses the first nonempty line. Paragraphs use blank-line breaks. Final CTA uses the last content line, ignoring tag-only lines, with question or action-phrase detection. Text rules can miss meaning and linked mentions.

Hashtag patterns

Up to 20 most-used tags. Each post is counted once per tag. Tags travel with topics and formats; their isolated effect cannot be measured.

Prioritized action plan

1. Develop a specific follow-up

Observation: The sample includes “Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.”. Its visible interaction total is 2,680.

Action: Build a follow-up to “Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.”. Add a concrete example, a decision you made and one lesson. Keep the format similar so topic development is the main experiment.

Potential impact: Test repeatable interest in an existing subject. Effort: Medium.

Metric to watch: Reactions and comments after the same seven-day window; compare with the baseline median

Evidence: post 2. Full text and links are in Source posts.

2. Test a sharper opening

Observation: Median text length is 140 words with 7 paragraphs. 2 of 2 openings are classified as statements.

Action: For the next post related to “Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.”, open with a specific problem and a concrete outcome you can substantiate. Move context into the second paragraph. Avoid invented results or curiosity gaps that the post does not resolve.

Potential impact: Improve clarity; any engagement effect remains to be tested. Effort: Low.

Metric to watch: Median interactions across at least three comparable posts per opening approach

Evidence: post 1, post 2. Full text and links are in Source posts.

3. Make the reply invitation concrete

Observation: 0 of 2 final content lines contain a detected question or action phrase; 0 posts contain a question anywhere. These are text rules, not semantic judgments.

Action: End one upcoming post with a focused trade-off question connected to ai & building products. Ask readers to share a decision and why. Read replies before deciding whether the discussion was useful.

Potential impact: Test whether a clearer invitation supports useful discussion. Effort: Low.

Metric to watch: Public comments per post and manual review of reply relevance

4. Choose a sustainable publishing experiment

Observation: There are too few dated posts to establish cadence.

Action: Choose two slots per week for the four-week experiment below, or reduce the schedule if your capacity is lower. Keep the slots consistent and log every published post. Two slots are a planning choice, not a LinkedIn benchmark.

Potential impact: Create comparable records and a manageable learning loop. Effort: Medium.

Metric to watch: Planned versus published posts, time spent, and median interactions at seven days

Evidence: post 2, post 1. Full text and links are in Source posts.

5. Use tags and mentions with a purpose

Observation: 0 of 2 posts contain hashtags and 0 contain visible @mentions. LinkedIn may return linked mentions as plain text, so detection can undercount.

Action: Use relevant topic labels only when they clarify the subject. Mention people only when they contributed or are directly relevant. Test a consistent tagging approach on comparable posts; do not attribute performance changes to tags alone.

Potential impact: Keep context and attribution useful. Effort: Low.

Metric to watch: Median interactions for tagged/untagged samples, with sample sizes and topic differences

6. Test presentation without changing the subject

Observation: image: 2 posts (2 measured).

Action: Turn one idea related to "Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong." into a concise checklist or document post. Keep a similar topic and ask the same type of question. Label this a new format experiment, not a proven winning format.

Potential impact: Learn whether a different presentation helps explain the same idea. Effort: Medium.

Metric to watch: Public interactions at the same post age; at least three posts in each format before comparison

Evidence: post 1, post 2. Full text and links are in Source posts.

Basic content ideas

1. The next chapter

Follow up on "Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.": what changed since publishing, what stayed difficult, and the next step. Only include outcomes you can verify.

Evidence: post 2. Full text and links are in Source posts.

2. Show the process

Break the work behind "Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong." into three decisions. Add an example or screenshot you have permission to share.

Evidence: post 2. Full text and links are in Source posts.

3. A useful trade-off

Describe two approaches to ai & building products, explain your constraint, and ask which constraint readers face.

Evidence: post 1, post 2. Full text and links are in Source posts.

Basic writing outline

Open with one specific point. Show your reasoning with a supported example. End with a focused question.

Peer comparison, private AI strategy, extensive schedules and downloadable writing skills are coming with Profilyst Pro. They are not included in this public report.

Source posts

POST 1

https://www.linkedin.com/posts/antonosika_im-thrilled-to-welcome-lauren-to-lovable-activity-7470520533378465793-EqSq

Published: 2026-06-10T17:01:30.695Z. Reactions: 1,024. Comments: 63. Format: image.

I'm thrilled to welcome Lauren to Lovable to lead sales globally.

Just like many people I love working with, Lauren is absolutely unique.

From leading analyst teams at the US Department of Defense to building product at a hypergrowth startup, playing rugby for Team USA to most recently leading global sales at Webflow. She came for the mission to build for the 99%.

To celebrate her first week we cold plunged in the Baltic Sea together and now we're back at HQ ready to build. Love how she radiates energy, pace, and grit.

Couldn't be more excited.

POST 2

https://www.linkedin.com/posts/antonosika_eighteen-months-ago-we-launched-lovable-activity-7447659804485132288-fpii

Published: 2026-04-08T15:01:08.183Z. Reactions: 2,543. Comments: 137. Format: image.

Eighteen months ago, we launched Lovable. We had a theory about who would show up. We were wrong.

A new class of founders is emerging.

Founders like John, who turned a former church into a \$30K/month arcade business in three months, building every digital system himself on Lovable. Or Will, a Grammy-nominated songwriter, who built Disco after realizing 73 million freelancers like him had no good solution for tax season.

Every week, we see someone new: a nurse, a teacher, a marketer, a filmmaker, a 16-year-old. People closest to the problems are now building the solutions.

Millions of founders are building on Lovable. And we know the build is just the start. We're focused on helping people create real businesses with customers, feedback loops, and growth.

And as the technology keeps getting better, more people will succeed. Our focus stays the same: real

founders, real businesses, and real solutions.

Entrepreneurship is the fastest way to change the world. More builders means more problems get solved in the world.

I can't wait to see what problems this generation solves.

founderclass.lovable.app

Saved audit comparison

This export represents one saved snapshot. No earlier comparable snapshot was selected.

Methodology and limits

Selected URLs may omit recent or low-performing posts. This is a sample, not a complete feed.

Reaction and comment totals are snapshots. Older posts had more time to accumulate interactions.

Themes can overlap and use English keyword rules. Hooks, CTAs and mentions are text heuristics and may miss context or other languages.

Timing is UTC publishing history, not audience activity or an optimal posting time.

Recommendations and potential impact are hypotheses. No impressions, revenue, private demographics, peer percentile or causal attribution are available.

Engagement = average visible reactions plus comments / current followers × 100, requiring at least three measured posts. Missing values remain unavailable. Cadence uses the intervals between sampled dates. No uncalibrated score or private metric is inferred.

Independent public-data analysis. Not affiliated with LinkedIn or the profile owner. <https://profilyst.com/methodology>

Unsupported glyphs are preserved as Unicode code points [U+...]. Full original text is available in the online report.